Date: 02/07	*	A 1 4		
Time: 400 AM				(98) (2 *)
Battery: WILLOTE	e <sup>n</sup> r ŝ			5 74 s
	*	12	* *	
Are there any leaks? (yes/no)	* * * :		24 Pag	#80 **
If yes, what time was the leak temporarily scaled?	* ** **	at a	1 x 12	
What time and date was it permanently repaired?	5 2 2017 7	2 E	3 100	
If a leak is observed, you must temporarily seal the l detection. You must initiate repairs within five (5) d 15 days:	leak within lays and co	four (4)	hours of	Litre
Signature:			e repair	within
- Transport			8	2 3 <sub>0</sub> 0

Date: 8-28-09	*** *** ** ***	27 35	ğ 12	**	¥ 2
Time: 400 AM	X			, a	18 30632
Battery: WILPOTTE			* 5		
Are there any leaks? (yes/no)	~0				39.
If yes, what time was the leak temporaril	y sealed?				1 1 1 (8)
What time and date was it permanently re	epaired?	. * .	8 	. ·	
		*	•		*
If a leak is observed, you must temporar detection. You must initiate repairs with 15 days.	ily seal the lead in five (5) days	k within j	four (4) uplete th	hours of te repair	within
(Xevery)		gê B	i eg	3	* (5. *)

Date: 8-30-09	(A)	e all	e n Bre	15	af <sub>res</sub>
Time: 1.0:15 pm				5 <b>5</b> 1	(4) g F
Battery: WILPUTT e		**************************************	76 (b) 78 140		
Are there any leaks? (yes/no)	Νc	)	, , ,		
If yes, what time was the leak temporari	ly sealed?		·	3	*
What time and date was it permanently r	repaired?		* *	100 100	*(* * <mark>*</mark>
If a leak is observed, you must temporar detection. You must initiate repairs with 15 days:	rily seal the le hin five (5) da	ak within f ys and com	our (4) plete th	hours of e repair	within
	F. A				

	20	-105			
Date: 8-27-09				÷ģ.	9  65
Time: 10:46P				946	(85) V: 5
Battery: WILPUTT?			8 2 2	8 %	
		*: *:	. š.	e .	
Are there any leaks? (yes/no)	No	* v		2 AF	
If yes, what time was the leak temporarily se	ealed?				6
What time and date was it permanently repair	ired?	96 (SD)	¥ ¥	- 1/2 - 1/2	9. n.
10.00		3			
If a leak is observed, you must temporarily detection. You must initiate repairs within j	seal the leak five (5) days (	within for and comp	ur (4) h lete the	ours of repair 1	within
	¥	0.	. = <u>.</u>		
Signature: Dulin		(A) §		* 18	
	×				*, *

Date: 8-28-09

Time: 10:,45P		ec.		*	-	85 96 25
Battery: WILPUTTE			feo	* N97/4	9.7	§
					* a	" 165 - 165 - 16
Are there any leaks? (yes/no)	No	* * .	Q 52		3 8 102	
If yes, what time was the leak temporar	ily sealed?	*		•	1. 2	
What time and date was it permanently	repaired?		120	2 V		· · · · ·
		8		*/*******		
If a leak is observed, you must tempora detection. You must initiate repairs wit 15 days:	rily seal the lea thin five (5) day	k withings and co	n fou Ompl	ir (4) lete th	hours of ie repair	within
Signature:	x ×			2 - 1 - j	3 6 6	,
- Buttaro		ñ		o <sub>S</sub>	3 ; E	ac a <sub>c</sub> a

Time: 11:300 m				(0)	* 8
Battery: WILPUTIP			3000	s 3	a a
	4.				2 (40)
Are there any leaks? (yes/no) NO		2.40		78 E SE	
If yes, what time was the leak temporarily sealed?	* *	100	ie A	1. /	
What time and date was it permanently repaired?	**************************************	(4)	8		3 o Ta
If a leak is observed, you must temporarily seal the le detection. You must initiate repairs within five (5) days:	ak withi ys and c	n foi comp	ır (4) lete t	hours of he repair	within
Signature: V. Signature:	¥ ¥1 (#	(3) <u>1</u>	e.	* ;	1 1 1, 1,

Date: 9-1-09		z * * * * * * * * * * * * * * * * * * *
Time: 11:30P		360 es
Battery: WILDUTTY		a e <sub>k</sub>
Are there any leaks? (yes/no) ND	ž 2 8 8	5 6, 5 A
If yes, what time was the leak temporarily sealed?_		
What time and date was it permanently repaired?	* * * *	
		,
If a leak is observed, you must temporarily seal the detection. You must initiate repairs within five (5) a 15 days.	leak within four ( lays and complete	4) hours of the repair within
	.v :∞ <sub>301</sub> ;	
Signature: U W	* * * * * * * * * * * * * * * * * * * *	

	The 8 .		$L^{L}$		• •	200
Date: 9/2/09	۹.		20			€:
Time: 10pm			s :			
Battery: Whiputto		10 mm	for-		¥ .5	
				ra Pa	<b>1</b>	31
	e e e for	:		17		- 2
Are there any leaks? (yes/no)		5 B 22 5	×.	-	5 m 1/2 1/5 m	
If yes, what time was the leak temporarily	sealed?		8	*		
What time and date was it permanently rep			2005	4 H	10 924 11 924	
If a leak is observed, you must temporarily detection. You must initiate repairs within 15 days:	y seal the lea n five (5) day	k within s and co	fou mpl	r (4) l ete th	hours of e repair	within
Signature:	*		(14) 작품	al of as acc	35.	
	v.	#) (I)	3	*	1.83	स्, । १७०

Date: 9-3-08  Time: /2P  Battery:	" ± #
Time:	e e
Battery: Co-/PotTe	
	* 4
	v 3
Are there any leaks? (yes/no)	Total
	3.51
If yes, what time was the leak temporarily sealed?	
What time and date was it permanently repaired?	100 H
a v	
If a leak is observed, you must temporarily seal the leak within four (4) hour detection. You must initiate repairs within five (5) days and complete the re-	rs of
If a leak is observed, you must temporarily seal the leak within four (4) hou detection. You must initiate repairs within five (5) days and complete the re 15 days.	rs of vair within
If a leak is observed, you must temporarily seal the leak within four (4) hour detection. You must initiate repairs within five (5) days and complete the repairs.  Signature:	rs of vair within

Date. 7-6-09	280 (6	×		ie.	
Time: 10:50P  Battery: WILPUTT &		E AT I	· -	3 3	
	\$ * . *.	*	3	* * * * * * * * * * * * * * * * * * *	
Are there any leaks? (yes/no)	ND	× *.	.4	2 (* see	
If yes, what time was the leak temporaril	y sealed?	8.14		1	
What time and date was it permanently re	epaired?		. iso		
** * *		6	32/		1/1
If a leak is observed, you must temporary detection. You must initiate repairs with 15 days:	ily seal the le in five (5) da	ak within ys and co	four (4) nplete t	hours o he repair	f within
		2,	¥ 2	3	* : P.

Date: 9.5-09	# 20	et et			* .
Time: 10P		25 80 1 25 80 1		¥8	
Battery: Willotte				3 1	Đ.,
		*	£		
Are there any leaks? (yearno)	8 . 30	*** * .		100	J. 1000
		20		e <sup>7</sup>	10000 - U.S.
If yes, what time was the leak tempor	arily scaled?			War and	
What time and date was it permanentl	y repaired?		8 N N	# SS	- 20
		0.00			
If a leak is observed, you must tempor detection. You must initiate repairs u	rarily seal the le vithin five (5) da	ak within ys and co	t four (4) Implete t	hours of he repair	within
Signature:				а	

Date: 9-4-08	9)			4	(90) (0)
Time: 10P	* * * * * * * * * * * * * * * * * * *		: H	96	5 N
Battery: Willotte					
Are there any leaks? (yes/26)	# w g	t to the second			.01
If yes, what time was the leak temporar	rily sealed?			741 14	
What time and date was it permanently	repaired?			100 110 110 110 110 110 110 110 110 110	·
If a leak is observed	*	*			
If a leak is observed, you must tempora detection. You must initiate repairs wit 15 days:	trily seal the let thin five (5) day	ik within for os and comp	ir (4) hoi lete the r	irs of epair u	ithin
Signature:	*		a 12 o		
-HUN	*	AT 2	8	* *	. ,

Date: 09/08/09	N 200		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1		
Time: 11: 45 pm	-		- #	2	*
Battery: Wilputte		e fee	# 1#5.	a V	
		a.		* 30 (2) v	
Are there any leaks? (yes/no)	NO.				**************************************
If yes, what time was the leak tempor	arily scaled?		-5		e
What time and date was it permanently	*			2 m	
#X *					9
If a Leak is observed, you must tempo detection. You must initiate repairs w 15 days:	rarily seal the led vithin five (5) da	ak within fo ys and comp	ur (4) lete th	hours of e repair 1	within
					•
Signature: (Cozza			8.8	W 5	
	598	F		5	* **

Date: 09/09/09	# (24)			or give	£( 2)
Time: 10:55 Pm		() *** =	500		
Battery: Wilputte		to the	ø	. 1	
			***		ing g
Are there any leaks? (yes/no)	())	***			
	7.21			·	-
If yes, what time was the leak temporar	rily sealed?	9 .	2 11	V 2 - F	85
x' *					
What time and date was it permanently	repaired?	(a) g	. ·	." 35	
* * * * * * * * * * * * * * * * * * *					78
If a leak is observed, you must tempora detection. You must initiate repairs with	arily seal the lead	within fo	ur·(d)	haring of	
detection. You must initiate repairs with 15 days:	thin five (5) days	and com	olete th	e repair i	vithin .
				•	(4)
Signature 1:			٠,٠,٠		
Signature: 660860		5 5	85	× 9	25 63
	•			1	38. W.

Date: 09/10/05	*		t a	*§	iner in
Time: 12:30Am	* 1001 41 2			940 (b)	6 8 M
Battery: Wilputte		8	3 g	3 Ta	
Are there any leaks? (yes/no)	1 × 3	10.50	10	34 V20 34 V20 34 S	R M
If yes, what time was the leak temporarily sealed?	10 W 	Ý.	100	υ. ·	
What time and date was it permanently repaired?	*	9	8	2 e	5 × 10 × 10 × 10 × 10 × 10 × 10 × 10 × 1
			• • • • • • • • • • • • • • • • • • • •		÷
If a leak is observed, you must temporarily seal the detection. You must initiate repairs within five (5) 15 days:	e leak with days and	in fou compl	ir (4) lete th	hours of te repair t	within
(t)		٠	a H		
Signature: AGNSEN	, 8 P	£ 1	4.5	9	
	X		80		

Date: 9-13-09	£	a ga		. %	É	ē - 5
Time: 10P	\$ 78 3			:5	•	(50)
Battery: W:/Potte		2 % 2 %	fer a	38		28
		* * * * * * * * * * * * * * * * * * *		* 0 2 0		
Are there any leaks? (you no)	* # ** *			  		*
If yes, what time was the leak tempor	arily sealed?_	8		; † m	it to	•
What time and date was it permanently	y repaired?			i. ,	ries	
9 = 1 9 *		20				
If a leak is observed, you must tempo detection. You must initiate repairs we 15 days:	rarily seal the vithin five (5)	leak withi days and c	n four Omplet	(4) hour e the rep	s of vair w	lthin
- Herman		8	8 B	-	s	a, ×.

Date: 09/12/09		
Time: 3:15 Am		
Battery: Wilputte		
		À
Are there any leaks? (yes/no)		
If yes, what time was the leak temporarily sealed?		
What time and date was it permanently repaired?_		
If a leak is observed, you must temporarily seal the detection. You must initiate repairs within five (5)	e leak within four (4) hours of days and complete the repair within	7
Signature: 96038		

Date: 09/11/09	*		186	H 1807
Time: 1:45 Am	ž 30		(42.) 24	(g)
Battery: Wilputte	90.35 292 <sup>45</sup>	f- ·	R O	er
		a	К.	*** E
Are there any leaks? (yes/no)	e f	386		. *
(yea/110) <u>DD</u>			# # #	
If yes, what time was the leak temporarily sealed?	** **	* 31 * 3	i s j	2
What time and date was it permanently repaired?	-23 1			<del></del>
	) -4 - V			
If a leak is observed, you must temporarily seal the leadetection. You must initiate repairs within five (5) do	eak withi ays and c	n four (4) omplete st	hours of	· · · · ·
G (5)			e repair	within -
Signature: 460BEA	£ 16.	× 32 - 4	.:	

Date: 9:14-09	til or		ā. +	-1	1 4
Time: 10f			*	4	# 9880
Battery: W. Porte		fer	. •	= 5	
		· ,			
Are there any leaks? (yes no)	Stug S	* 3		* * **	< au
		<del></del>	-		
If yes, what time was the leak temporari	ily sealed?				e m
What time and date was it permanently i	repaired?	* 6		, se	
					140
If a leak is observed, you must temporar detection. You must initiate repairs with 15 days:	rily seal the le hin five (5) da	ak within fo ys and comp	ur (4) ho	ours of repair w	vithin
Signature:	XI X	9	: · a		y = 40
1 Sail				(4)	

Date: 9:15-09.	87 ¥		1		× 3
Time: 108			·		9 91*
Battery: WIPME		7	* *	6 () 1	· ·
Are there any leaks? (yes/fio)		**************************************	3 75	* 740	
If yes, what time was the leak temporaril	y sealed?	31 27 28 **	* *	is .	300
What time and date was it permanently re	paired?	p <sup>2</sup>			
THE CO.		28			*
If a leak is observed, you must temporari detection. You must initiate repairs with 15 days:	lly seal the lea in five (5) day	tk within just and con	four (4) nplete ti	hours of ie repair s	vithin
Signature: Mill Bin		g g		· · · · · · · · · · · · · · · · · · ·	36 5)

Date: 9-16-09	
Time: 10P	
Battery: William	
Are there any leaks? (yesho)	
If yes, what time was the leak temporarily sealed?	
What time and date was it permanently repaired?_	
	.es _
If a leak is observed, you must temporarily seal the detection. You must initiate repairs within five (5) 15 days:	e leak within four (4) hours of days and complete the repair with
	· · · · · · · · · · · · · · · · · · ·
Signature: Mill BATU	
Signature: Mill BATU	

Date: 9-19-09.	
Time:	
Battery: CO: /PotTe	
Are there any leaks? (yes/200)	
If yes, what time was the leak temporarily sealed?	
What time and date was it permanently repaired?	
	3
If a leak is observed, you must temporarily seal the detection. You must initiate repairs within five (5 days:	he leak within four (4) hours of  ) days and complete the repair within
Signature: MS.	

Date: 92009			*5	300
Time: 406 AM			92	84 2010)
Battery: WILLATTE		<i>t</i> .		
		ा है। <sup>38</sup> स अ		
	± = 1 × 3*	340	· _ a_	e,
Are there any leaks? (yes/no)	0		* = 1.00 *	(6)
	e :=====		-	
If yes, what time was the leak temporarily so	ealed?		± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ± ±	×
	9			
What time and date was it permanently repair	ired?	# Sec	9 9 10 15	•
If a leak is observed, you must temporarily s detection. You must initiate repairs within j 15 days:	real the leak with	hin four (4) h	ours of	2
15 days.	ero (o) unys unu	complete the	repair wii	hin
Signature:	#1			
Kerry	•	94.	(4)	
		ec = 9		8 4 6
		#2	· ·	

Date: 9-19-09

Time: 400 AM  Battery: W/484/TE					ş Ş
		· · ·	** € **	E 2: 0	***
Are there any leaks? (yes/no)	NO	4 H 8:	N .	7/4/7 2457 5/	
If yes, what time was the leak temporar	ily sealed?	20 20 20 20 20 20 20 20 20 20 20 20 20 2	a	m =	
What time and date was it permanently	repaired?		10 at	* *** ***	** }
If a leak is observed, you must tempora detection. You must initiate repairs wit 15 days:	rily seal the lea	ik within	four (4)	hours of	
Signature:	(5) 112)	s unu cor	nplete th	z repair 1	vithin
Melign			8	* (*	· ·

Date: 2-2/-09					200
Time: 460 AM			9		an N
Battery: WILPUTE			*	× 8.	
	e y	1		* 15	Y.
Are there any leaks? (yes/no)		**************************************	15° S		
If yes, what time was the leak temporarily sea	iled?	1		;; :	
What time and date was it permanently repair					
DECEMBER OF					
If a leak is observed, you must temporarily se detection. You must initiate repairs within ft 15 days:	eal the leak ; ve (5) days d	within fou ind comple	" (4) hour te the rep	s of vair wit	hin
Signature:	gi gi	96 * 9	¥ .	17	
- Ceoungs	- '		** *****	* *	

		950			U\$	
	× 1					
What time and date was it permanently	y repaired?		§ 8	**	.,	7.
If yes, what time was the leak tempora	arily sealed?			, .		
Are there any leaks? (yes/no)	MO				•	
Amout	<i>(</i> ()			* 0	*	
Battery: WILPUTTE		jes t	80 gg		· %	2
Time:	Š.		æ5	*	)¢ Si:39	
Date: 9-2/-09.	3 *	*:				

Date: 9-23-09	Section 1	, , , , , , , , , , , , , , , , , , ,		X	35 38
Time: 400 AM		* 99 g	9	35	2 (e) <sup>4</sup>
Battery: WILPUTE		•	eo a		
			*		***
Are there any leaks? (yes/no)	NO	160 %	196 197 2		. ž
If you will all		10 N		:	15 70
If yes, what time was the leak tempor	rarily scaled?_				
What time and date was it permanent	ly repaired?	- F	300		•••.
	(m)				7.
If a leak is observed, you must tempo detection. You must initiate repairs H	rarily seal the l	eak within f	our (4) H	ours of	9
15 days.	(3) 41	uys unu com	plete the	repair n	vithin
Signature: Neveryn		·			
			je: 14	Ŧ:	to a

Date: 9-23-09	98 a			*	8 14
Time: 10pm	1 5 ·	* 20 g			54 331 at
Battery: ColPorte		3 * 8 50 <sup>8</sup>	tes e		
			7 g		
Are there any leaks? (yes/no)	No	en Py	5† 17 278		8 8 X
If yes, what time was the leak tempor	arily sealed?	521 (W)	· .	· · ·	- 3
What time and date was it permanentl	7.0				
		11.0			
If a Leak is observed, you must tempor detection. You must initiate repairs n 15 days:	rarily seal the le vithin five (5) da	ak within ys and con	four (4) nplete th	hours of ie repair	within
Signature:	ā so				1.0
		4		ı	

Date: 9-27-09	* *	. g. i	e i Book	*	t :
Time: 10:55P				**	# 23 =
Battery: WILPUTTE		;	· »	:9+ <u>}</u>	
		*	<i>K</i>	- 13 - 1	9
Are there any leaks? (yes/no)	N6	4 * , , , , , . , . , . , . , . , . , . ,		V.	• • •
If yes, what time was the leak tempora	rily sealed?	a .			: :
What time and date was it permanently	repaired?	= 55 m	a		• [
** *			å		
If a leak is observed, you must tempor detection. You must initiate repairs with 15 days:	arily seal the leat thin five (5) days	within for	ur (4) olete th	hours of e repair	within
Signature: V n		ě.	* * * * * *	6	9
			-		250 10

Date: 9-26-09

Time: 11.058

Battery: WILPUTT &		19 <sup>20</sup>		*	<u>.</u>
			•	# #	2 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3 3
Are there any leaks? (yes/no)		10			•
If yes, what time was the leak temporari	İy sealed?				
What time and date was it permanently r	epaired?	· · ·	190	* ***	••••
If a leak is observed, you must temporar detection. You must initiate repairs with 15 days:	rily seal the le in five (5) da	ak within j	four (4) plete ti	hours of he repair	within
		® 8			Š.

Date: 9-25,09		inger S. F.
Time: 18:15 AL		8 x
Battery: Wilputte	ter a	= 100 100 100
Are there any leaks? (yes/no) / D		
If yes, what time was the leak temporarily scaled?		
What time and date was it permanently repaired?		
If a leak is observed, you must temporarily seal the leatection. You must initiate repairs within five (5) do 15 days.	eak within four (4) h ays and complete the	ours of repair within
Signature: U W		* :=

Date: 9-24-09

Time: 10:38PM  Battery: LULPUTT			 	* * **	
	1 a st	÷-	234	* * * * * * * * * * * * * * * * * * * *	
Are there any leaks? (yes/no)	$\mathcal{L}_{\mathcal{L}}$	)	e e <sup>22</sup>		mili a h
If yes, what time was the leak temporar	rily scaled?	16. 18. 2 *			88
What time and date was it permanently	repaired?	(A)			
e are p	e	60			
If a leak is observed, you must temporal detection. You must initiate repairs with 15 days:	irily seal the led thin five (5) day	ik within	four (a	f) hours of the repair	r within
		ž			10 1 <sub>4</sub> · · .

Date: 9-28-09

Time: 12:20 Am	3	" pr ;		~	3
op o to the stable of the sta	```		** *5 100	ā	G-1
Battery: Wilputt	*** **********************************	est <sup>a</sup>	* 9	20 8	
	3	8 P		×	*: - :
	* **	£			2 n
Are there any leaks? (yes/no)		0	¥	* ***	12 A
	* -	-6			
If yes, what time was the leak tempora	arily scaled?	1.1			100
		•			
What time and date was it permanently	y repaired?	¥ §			
# 1		1 - 8:	•		
If a leak is observed, you must tempor detection. You must initiate repairs w 15 days.	rarily seal the	leak within f	our (4)	hours of	
15 days:	1-1-1-1-1-1-1-1	uuys ana con	plete th	e repair	within
Signature:	e e				12
		-11 S		(4)	€

v ven me
* ji Mira Mara
d?
7
the leak within four (4) hours of
the leak within four (4) hours of (5) days and complete the repair within
Section 1

Date: 09/30/09	N B	- 1 ± 1 ± 1 ± 1 ± 1 ± 1 ± 1 ± 1 ± 1 ± 1		· 3
Time: <u>1:15 am</u>			er .e.	a gr <sup>ag</sup> a
Battery: Wilputtle		ter a	, S,	5)
Are there any leaks? (yes/no)	2	8 <sub>21 _2</sub> 2	* = (***)	a f
			-	
If yes, what time was the leak temporarily	sealed?			
What time and date was it permanently rep	paired?	* * *	2 to	*** **********************************
				(0)
If a leak is observed, you must temporarily detection. You must initiate repairs within 15 days:	y seal the leak with n five (5) days and	hin four (4) complete (	) hours of the repair (	vithin -
Signature:	# ₽ ⊗		(a)	

Date: 10/01/09			(20)	* .
Time: 12:15 Am	LANGE TO THE SECOND SEC	PS	2	20 20 10
Battery: Wilputte	. te	er se	47.5	) el
	is.	20		
Are there any leaks? (yes/no)	2 3 4 2 40		E 0 (0)	ene Territoria
If yes, what time was the leak temporarily scaled?		*	in an	0.
What time and date was it permanently repaired?	3*8 K	3 <sup>36</sup>	2 PA	7. Y
	3			9
If a leak is observed, you must temporarily seal the lead detection. You must initiate repairs within five (5) days 15 days:	k within fo s and com	ur (4)	hours of	
25 44.75.	- Jonny		е гераіг н	vithin
Signature: 460000	Z :		* e	3
			•	

Date: 8-19-09	50.84		aj s	78	
Time: 101		# I I I I I I I I I I I I I I I I I I I	et i #	ar Si	95
Battery: Willotte		· · · · · · · · · · · · · · · · · · ·	H	a fa	* *
		41 <sup>48</sup>	0.00 (g		E R
	* * *	gi.	*		
Are there any leaks? (yes/60)				et se <sub>re</sub> Geo	x:>
If yes, what time was the leak temporar	rily sealed?	* 3	,	is i	11
What time and date was it permanently			. *	*** *******	• • •
, 25	ropanour		*		-
		/=			
If a leak is observed, you must tempora detection. You must initiate repairs wi 15 days:	urily seal the le thin five (5) do	ak within j ys and con	four (4) aplete th	hours of te repair t	vithin

Date: 8:-18-09	10°E W	4 2			× 4
	TE NO.				
Time: 10P		Y ** §	*		3
Battery: Willotte	1500 AT 20	200		8.3	
		140	* 3		51 <sub>(165)</sub>
2	· 't ,'	W e			
	1 10 8	n <sup>2)</sup>			
		· ·	29	31	, 7
Are there any leaks? (yes/100)	197 (6				2
	<del>-,,-</del>			9	68 54
*		*	naž i	\$ . ·	
If yes, what time was the leak temporal	orarily scaled?			***	
.* &		-			
YVILLEAU			2 2		4. 8.
What time and date was it permanen	itly repaired?	N (2)	:(*:	16 0.5	
	0 0	10			
Nexten S					
If a leak is observed your mind					
lf a leak is observed, you must temp detection. You must initiate repairs	orarily seal the le	eak within fo	ur (4)	tours of	
detection. You must initiate repairs 15 days:	within five (5) do	tys and com	olete the	e repair	within
ж ,	9		·	2	
			Bogo er g		
Signature: Michael De	)* 8	20.0	41		2
700		3 3	10.55		*0

Date: 109 Time: 109 Battery: W:180772	E.
Battery: Wille	(e.,
	(*)
Are there any leaks? (yez/no)	ner *
If yes, what time was the leak temporarily scaled?	245
What time and date was it permanently repaired?	
If a leak is observed, you must temporarily seal the leak within four (4) hours of	
detection. You must initiate repairs within five (5) days and complete the repair 15 days:	within
Signature:	

Date: 10/02/05	
Time: 10:45 Pm	
Battery: Wilputte	₩ 1
Are there any leaks? (yes/no)	
	2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2
If yes, what time was the leak temporarily scaled?	
What time and date was it permanently repaired?	
. **	
# * 'a	
If a leak is observed, you must temporarily seal the detection. You must initiate repairs within five (5)	e leak within four (4) hours of days and complete the repair within
*	
Signature: Conica	THE N W
·	